## Recap: basic data structures

Data Structures and Algorithms for Computational Linguistics III ISCL-BA-07

Çağrı Çöltekin ccoltekin@sfs.uni-tuebingen.de

University of Tübingen Seminar für Sprachwissenschaft

Winter Semester 2022-2023

#### Overview


- Some basic data structures
  - Arrays
  - Lists
  - Stacks
  - Queues
- Revisiting searching a sequence

## Abstract data types and data structures

- An abstract data type (ADT), or abstract data structure, is an object with well-defined operations. For example a stack supports push() and pop() operations
- An abstract data structure can be implemented using different *data structures*. For example a stack can be implemented using a linked list, or an array
- Sometimes the names and their usage are confusingly similar

## Arrays

- An array is simply a contiguous sequence of objects with the same size
- Arrays are very close to how computers store data in their memory
- Arrays can also be multi-dimensional. For example, matrices can be represented with 2-dimensional arrays
- Arrays support fast access to their elements through indexing
- On the downside, resizing and inserting values in arbitrary locations are expensive



a = [3, 6, 8, 9, 3, 0]

# Arrays in Python

# • No built-in array data

• Lists are indexable

structure in Python

• For proper/faster arrays, use the numpy library

## List indexing in Python

```
a = [3, 6, 8, 9, 3, 0]
a[0] # 3
a[-1] # 0
a[1:4] # [6, 8, 9]
a2d = [[3, 6, 8], [9, 3, 0]]
a2d[0][1] # 6
```

#### Lists

- Main operations for list ADT are
  - append (and prepend)
  - head (and tail)
- Lists are typically implemented using linked lists (but array-based lists are also common)






Python lists are array-based


#### **Stacks**

- A stack is a last-in-first (LIFO) out data structure
- Two basic operations:
  - push
  - pop
- Stacks can be implemented using linked lists (or arrays)



## Queues

- A queue is a first-in-first (FIFO) out data structure
- Two basic operations:
  - enqueue
  - dequeue
- Queues can be implemented using linked lists (or maybe arrays)



#### Other common ADT

- Strings are often implemented based on character arrays
- *Maps* or *dictionaries* are similar to arrays and lists, but allow indexing with (almost) arbitrary data types
  - Maps are generally implemented using hashing (later in this course)
- Sets implement the mathematical (finite) sets: a collection unique elements without order
- Trees are used in many algorithms we discuss later (we will revisit trees as data structures)

# Studying algorithms

- In this course we will study a series of important algorithms, including
  - Sorting
  - Pattern matching
  - Graph traversal
- For any algorithm we design/use, there are a number of desirable properties

  Correctness an algorithm should do what it is supposed to do

  Robustness an algorithms should (correctly) handle all possible inputs it may receive

  Efficiency an algorithm should be light on resource usage

  Simplicity an algorithm should be as simple as possible
  - .
  - We will briefly touch upon a few of these issues with a simple case study

## A simple problem: searching a sequence for a value

```
def linear_search(seq, val):
    answer = None
    for i in range(len(seq)):
        if seq[i] == val:
            answer = i
    return answer
```

Is this a good algorithm? Can we improve it?

### Linear search: take 2

```
1 def linear_search(seq, val):
2    for i in range(len(seq)):
3        if seq[i] == val:
4            return i
5    return None
```

Can we do even better?

## Linear search: take 3

```
1 def linear_search(seq, val):
     n = len(seq) - 1
     last = seq[n]
     seq[n] = val
     i = 0
     while seq[i] != val:
          i += 1
     seq[n] = last
     if i < n or seq[n] == val:</pre>
        return i
     else:
       return None
```

- Is this better?
- Any disadvantages?
- Can we do even better?

# Binary search

```
1 def binary_search(seq, val):
      left, right = 0, len(seq)
      while left <= right:
          mid = (left + right) // 2
          if seq[mid] == val:
              return mid
          if seq[mid] > val:
            right = mid - 1
          else:
            left = mid + 1
      return None
11
```

• We can do (much) better if the sequence is sorted.

## Binary search

recursive version

```
1 def binary search recursive(seq, val, left=None, right=None):
      if left is None:
          left = 0
      if right is None:
          right = len(seg)
      if left > right:
        return None
      mid = (left + right) // 2
      if seq[mid] == val:
9
          return mid
10
      if seq[mid] > val:
11
        return binary search recursive (seq, val, left, mid - 1)
12
      else:
13
        return binary search recursive(seq, val, mid + 1, right)
14
```

#### A note on recursion

- Some problems are much easier to solve recursively.
- Recursion is also a mathematical concept, properties of recursive algorithms are often easier to prove
- Reminder:
  - You have to define one or more base cases (e.g., if left > right for binary search)
  - Each recursive step should approach the base case (e.g., should run on a smaller portion of the data)
- We will see quite a few recursive algorithms, it is time for getting used to if you are not

#### A note on recursion

- Some problems are much easier to solve recursively.
- Recursion is also a mathematical concept, properties of recursive algorithms are often easier to prove
- Reminder:
  - You have to define one or more base cases (e.g., if left > right for binary search)
  - Each recursive step should approach the base case (e.g., should run on a smaller portion of the data)
- We will see quite a few recursive algorithms, it is time for getting used to if you are not

Exercise: write a recursive function for linear search.

## Summary

- This lecture is a review of some basic data structure and algorithms
- We will assume you know these concepts, please revise your earlier knowledge if needed

16 / 16

## Summary

- This lecture is a review of some basic data structure and algorithms
- We will assume you know these concepts, please revise your earlier knowledge if needed

#### Next:

- Analysis of algorithms (Reading: textbook (Goodrich, Tamassia, and Goldwasser 2013) chapter 3)
- A few common patterns for designing (efficient) algorithms

## An interesting (but not-extremely-relevant) anecdote

#### How hard can binary search could be?

- It was first suggested in a lecture in 1946 (by John Mauchly)
- First fix to this version was suggested in 1960 (by Derrick Henry Lehmer)
- Another, fix/improvement over this was published in 1962 (by Hermann Bottenbruch)
- In 2006, a bug in Java's binary search implementation was discovered

## Acknowledgments, credits, references

• Some of the slides are based on the previous year's course by Corina Dima.

Goodrich, Michael T., Roberto Tamassia, and Michael H. Goldwasser (2013). Data Structures and Algorithms in Python. John Wiley & Sons, Incorporated. ISBN: 9781118476734.